

Cables

HDMI Cable (1.4 Version) (B-KAB-0010-**)

- A type HDMI Male - A type HDMI Male (1-2-3-5 m)
- A type 90 degree HDMI Male - A type HDMI Male (1-2-3-5 m)
- A type HDMI Male - Mini HDMI Male (0,5 - 1 m)
- A type HDMI Male - Micro HDMI Male (0,5 - 1 m)

Features:

- 340 MHz clock rate
- 10,2 GBit/s transfer rate
- Ethernet support
- 4K x 2K Resolution support



USB Cable (2.0 Version) (B-KAB-0020-**)

- A type USB Male - A type USB Male (1-2-3-5 m)
- A type 90 degree USB Male - A type USB Male (1-2-3-5 m)
- A type USB Male - Mini B USB (0,5 - 1 m)
- A type USB Male - Micro B USB (0,5 - 1 m)

Features:

- Hi-Speed
- 480 MBit/s transfer rate



Cat 6 UTP Patch Cable (B-KAB-0030-**)

- 0.5 m - 5 m Cable length
- 6 color option
- Low smoke zero halogen (LSOH)
- UTP
- RJ 45 Socket
- 750 insertion guaranteed



1U 19" Fan Tray with 2 Fans (B-FAN-0010)

- On/off switch
- 0-35°C Settable thermostat
- RAL 9005 Black color
- 4.6 m³/minute Air Flow
- Dimensions 44x483x150 mm
- Designed for work in silence



1U 19" Fan Tray with 4 Fans (B-FAN-0011)

- On/off switch
- 0-35°C Settable thermostat
- RAL 9005 Black color
- 9.2 m³/minute Air Flow
- Dimensions 44x483x300 mm
- 47 dBm noise level



Fan Group with 6 Fans for Estap Cabinets B-FAN-0012)

- Roof mount type
- On/off switch
- 0-35°C Settable thermostat
- RAL 9005 Black color
- 13.8 m³/minute Air Flow
- Dimensions 45x380x520 mm
- 47dBm noise level



Fan Control Unit (B-FAN-0013)

- 220 V AC Input
- Integrated temperature sensor
- Min-max temperature value and speed % setting
- shut down temperature settable
- Linear speed control
- On/off switch



Accessories

19" 1U Cable Organizer (B-AKS-0010)

- Metal frame
- 5 Hooks
- designed for easy cabling
- RAL 9005 Black color



19" 1U Cable Organizer Panel (B-AKS-0020)

- Front holes to reach cables
- Easy installation
- Metal frame
- RAL 9005 Black color



19" 1U Cable Management Cabinet (B-AKS-0030)

- Metal frame
- Removable front cover
- Cable management
- Helps passive cooling
- RAL 9005 Black color



Fixing set for 483mm (19") Components (B-AKS-0040)

- Installation screw set for network cabinet
- 50 X M6 screws, 50 X M6 nuts, 50 X M6 washers
- Black color
- Length 17mm



Casters Set (B-AKS-0050-*)

- Castors group 1 set = 4 ea (2 Lockable + 2 rotatable)
- Load capacity 250 kg.
- Dimension: 80x70x80mm
- 4 point fixing



Product Code: B-AKS-0050-1

- Castors group 1 set = 4 ea (2 Lockable + 2 rotatable)
- Load capacity 250 kg.
- Dimension: 80x70x80mm
- 1 point fixingint fixing



Product Code: B-AKS-0050-2

Grommet (B-AKS-0070-*)

- Overall size: 279 x 210 x 29 mm
- Usable cable area: 60 cm²
- Tile cut-out dimensions of: 254 x 184 mm



Product Code: B-AKS-0070-1

- Overall size: 143 x 8 mm
- Usable cable area: 244 mm²
- Hole cut diameter: 102 mm



Product Code: B-AKS-0070-2

Levelling Feet (B-AKS-0060)

- Levelling feet (1 set=4 ea)
- Load capacity per levelling feet: 250 kg



Swing handle (B-AKS-0080)

- Multiple lock feature
- Left or right hand gearbox
- Shaft, rotation limiter: Die-cast zinc, bright sealer

- Options:
- * Mechanical lock
 - * Electronic lock
 - * Card reader integration

